

NAME CHANGES IN *PSORALEA* (FABACEAE)

CHARLES STIRTON*

(The Herbarium, Royal Botanic Gardens, Kew, Richmond, Surrey TW9 3AE, England)

ABSTRACT

1. The new combination *Psoralea monophylla* (L.) C. H. Stirton is made, based on *Glycine monophyllum* L. 2. The new name *Psoralea plauta* C. H. Stirton is designated for *Hallia flaccida* Thunb. (1799), non *P. flaccida* Näbelék (1923). 3. The new name *P. cataracta* C. H. Stirton is designated for *H. filiformis* Harv. (1836), non *P. filiformis* Poir. (1804).

UITTREKSEL

NAAMSVERANDERING IN *PSORALEA* L. (FABACEAE)

1. 'n Nuwe kombinasie *Psoralea monophylla* (L.) C. H. Stirton word gemaak, gebaseer op *Glycine monophyllum* L. 2. Die nuwe naam *Psoralea plauta* C. H. Stirton word gegee aan *Hallia flaccida* Thunb. (1799), non *P. flaccida* Näbelék (1923). 3. Die nuwe naam *P. cataracta* C. H. Stirton word aan *H. filiformis* Harv. (1836), non *P. filiformis* Poir. (1804) gegee.

Key words: *Psoralea*, Fabaceae.

1. *Psoralea monophylla* (L.) C.H.Stirton, comb. nov.

Glycine monophyllum L., Syst. nat. ed. 12, 2: 484 (1767); Mant. pl. 101 (1767); Mant. pl. Alt. Addim. 516 (1771); non Burm. 1768; auct. non L.: Jacq., Pl. Hort. Schoenbr. 2: 57, t. 257 (1797). Lectotype: "C.B.S." (LINN, specimen 901. 20, !).

Hedysarum cordatum Thunb. in Nov. Act. Reg. Soc. Sci. Upps. 6: 41 (1799); non Jacq. (1800). Lectotype: "Crescit in campis graminosis ultra Swellendam, C.B.S." (UPS, specimen 17161). Nomenclaturally superfluous name. *Hallia cordatum* (Thunb., Schrad. Journ. 1: 321 (1799); Gen. nov. Pl. 11: 158 (1800); Prodr. 131 (1800); W. T. Aiton, Hortus Kew. 4: 233 (1812); Thunb., Fl. Cap. 593 (1823); DC., Prodr. 2: 123 (1825); Eckl. & Zeyh., Enum. 172 (1836); E. Mey., Comm. 82 (1836). *Psoralea cordata* (L.)

*B. A. Krukoff Botanist

Accepted for publication 25th May, 1984.

Salter in Jl S. Afr. Bot. **5**: 46 (1939); Salter in Adamson & Salter, Fl. Cape Penins. 490 (1950).

Salter transferred this species from *Hallia* to *Psoralea* but the basionym *Hedysarum cordatum* L. does not exist.

Hedysarum saggitatum Poir., Encyl. **6**: 403 (1804). Type: not seen.

Hallia saggitata (Poir.) Desv., Ann. Sci. Sér. **9**: 408 (1826). *Desmodium saggitatum* (Poir.) DC., Prodr. **2**: 326 (1825).

2. *Psoralea plauta* C.H.Stirton, nom. nov.

Hallia flaccida Thunb. in Schrad. Journ. 319 (1799); Prodr. 131 (1800); W. T. Aiton, Hortus Kew. **4**: 338 (1812); Thunb. Fl. Cap. 593 (1823); DC., Prodr. **2**: 123 (1825); Eckl. & Zeyh., Enum. 172 (1836). Lectotype: South Africa, "e Cap. Bon. Spei." *Thunberg s.n.* (UPS, specimen 17162), non Năbelék (1923).

3. *Psoralea cataracta* C.H.Stirton, nom. nov.

Hallia filiformis Harv. in Harv. & Sond. Fl. Cap. **2**: 232 (1836). Type: South Africa, Tulbagh Waterfall, *Pappe s.n.* (TCD, holotype!), non Poir. (1804).

ACKNOWLEDGEMENTS

I wish to express my appreciation to Dr. C. Jarvis of the British Museum (Natural History), and to Drs. B. Verdcourt and R. K. Brummitt (Royal Botanic Gardens, Kew) for their unstinted advice on the nomenclature of *Psoralea monophylla*. I would also like to thank the Curators of TCD and LINN for allowing me access to their valuable collections.